

Series 4, Mixed cooker, Stainless steel HXR39KI50A



The freestanding cooker with gas cooktop and 3D hot air: achieve perfect baking and roasting results on multiple levels simultaneously.

- High-quality materials and workmanship – continuous cast-iron pan supports.
- **EcoClean Direct:** easy cleaning thanks to a coating that breaks down grease while you bake.

Technical Data

Built-in / Free-standing : Free-standing
Color / Material Front : Stainless steel
Dimensions : x 600 x mm
Length electrical supply cord : 146 cm
Net weight : 58.8 kg
Gross weight : 63.7 kg
EAN code : 4242005044788
Number of cavities (2010/30/EC) : 1
Usable volume (of cavity) - NEW (2010/30/EC) : 66 l
Energy efficiency rating : A
Energy consumption per cycle conventional (2010/30/EC) : 0.98 kWh/cycle
Energy consumption per cycle forced air convection (2010/30/EC) : 0.79 kWh/cycle
Energy efficiency index (2010/30/EC) : 95.2 %
Connection Rating : 3300 W
Fuse protection : 16 A
Voltage : 220-240 V
Frequency : 50-60 Hz
Plug type : no plug

Included accessories

1 x enamel baking tray
1 x grill tray
2 x grid
1 x universal pan
1 x WOK attachment ring

Optional accessories

HEZ317000 : Pizza pan, grey enamelled
HEZ327000 : Pizza stone
HEZ333001 : Lid for professional pan

Series 4, Mixed cooker, Stainless steel HXR39KI50A

The freestanding cooker with gas cooktop and 3D hotair: achieve perfect baking and roasting results on multiple levels simultaneously.

Technical Information

- Length of mains cable: 146 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.3 KW
- Nozzle presetting/main jet: Natural gas 10 mbar (Australian)

Dimensions:

- Appliance dimension (HxWxD): 850 mm x 600 mm x 600 mm
- Adjustable feet by 50 mm

Cooktop

- Burners: 2 standard, 1 economy, 1 wok burner
- Front left: Wok burner 13.5 MJ/h
- Rear left: Standard burner 6.5 MJ/h
- Rear right: Standard burner 6.5 MJ/h
- Front right: Economy burner 4 MJ/h
- One hand electronic ignition
- Flame failure device fitted to each individual burner
- 2 PC Cast-iron trivets with rubber feet

Oven

Heating Functions

- Gas combination freestanding cooker with 7 PCheating methods:
 - Hotair gentle
 - 3D Hotair Top/Bottom heating Pizza setting Bottom heating
 - Hot-air grilling Full width variable grill
- Temperature range 50 °C - 275 °C

Rails

- Shelf support rails, 2 level telescopic shelf rails

Design

- Grey enamelled cavity - 66L capacity
- Mechanical Control, LED-display control (red)

Cleaning

- Full glass inner door

Convenience


- Eco Clean: A microfine ceramic beaded coating on the oven's interior Rear wall with EcoClean, EcoClean panel - ceiling, EcoClean panels - sides
- Electronic clock
- Rapid heating up
- Halogen lighting
- Child lock

Accessories


- enamel baking tray, universal pan, grid, grill tray, WOK attachment ring

Safety Features


Series 4, Mixed cooker, Stainless steel HXR39KI50A



Measurements in mm




Measurements in mm



Measurements in mm

measurements in mm



Socket