


Series 8, induction cooktop, 80 cm, Black, PXY875DE1E



Included accessories

1 x adjustment strip 750 - 780 mm
1 x wireless temperature sensor for cooktop

Optional accessories

HEZ390012 : Steaming Rack for Stainless Steel roaste
HEZ39050 : Wireless temperature sensor for cooktop
HEZ390512 : Teppan Yaki (large)
HEZ390522 : Griddle Plate
HEZ9ES100 : Espresso maker 4 cups
HEZ9FE280 : Iron pan Ø 18 / 28 cm
HEZ9SE060 : 6 pieces Set

The induction hob with PerfectCook and PerfectFry: achieve optimal results thanks to automatic temperature control.

- **Induction:** Fast, precise cooking, easy cleaning and low energy consumption.
- **Extended FlexZone:** maximum space on your cooktop for large cookware.
- **MoveMode:** the automatic setting of cooking levels allows fast boiling on the front, cooking on the middle and simmering on the rear cooking zone.
- **PerfectFry:** the smart way to fry.
- **PerfectCook:** Prevents overcooking and boiling over by precise controlling the cooking temperature.

Technical Data

Product name/family : Cooking zone ceramic

Construction type : Built-in

Energy input : Electric

Total number of positions that can be used at the same time : 4

Min. required niche size for installation (HxWxD) : 51 x 750-780 x 490-500 mm

Width of the appliance : 816 mm

Dimensions : 51 x 816 x 527 mm

Dimensions of the packed product (HxWxD) : 126 x 953 x 603 mm

Net weight : 15.2 kg

Gross weight : 18.9 kg

Residual heat indicator : Separate

Location of control panel : Hob front

Basic surface material : Ceramic

Color of surface : Alu, brushed, Black

Length electrical supply cord : 110 cm

EAN code : 4242002854083

Electrical connection rating : 7400 W

Voltage : 220-240 V

Frequency : 50; 60 Hz



4 242002 854083

Series 8, induction cooktop, 80 cm, Black, PXY875DE1E

The induction hob with PerfectCook and PerfectFry: achieve optimal results thanks to automatic temperature control.

Flexibility of cooking zones

- 2 Flex Induction zones + extension zone: use cookware within the 40cm long zone or even place cookware horizontally on the extended zone.
- Cooking zone front left: 230 mm, 200 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear left: 230 mm, 200 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear right: 230 mm, 200 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone front right: 230 mm, 200 mm, 2.2 KW (max. power 3.7 KW)

Comfort & Convenience

- Direct Select 2.0: directly control the power on the extra large illuminated touch bar (invisible when switched off).
- 17 power levels: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Keep warm function: keep dishes warm at preset low power level.
- Timer with automatic switch off for all zones: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Alarm clock
 - : an alarm sounds at the end of the time set (e.g. for pasta).
- Timer / Alarm clock: shows how much time has passed since starting the timer (e.g. for potatoes).

Time saving & Efficiency

- PowerBoost: rapid heating for large pots of water, automatically turns off right on time to prevent overheating : boil water more quickly thanks to 50% more energy than at the highest standard level.
- PanBoost: heat up pans more quickly than at the highest standard level while protecting the pan coating.
- 3-steps: increase or decrease the power level simply by moving the pot forwards or backwards.
- When moving a pot to a different cooking zone, transfer all previous settings to the new zone at the touch of a button.
- QuickStart: Quick and automatic first pot detection: when switching on, the cooktop automatically selects the cooking zone with cookware (placed in off-mode).
- ReStart function: in case of unintentional switch-off, restore all previous settings by switching on the cooktop again within 4 seconds.

Cooking Assistance

- PerfectCook sensor ready (sensor sold separately) prevents overboiling of pots with the automatic temperature regulation of the sensor (attached to the pot).
- 5 frying and 5 cooking levels
 - : prevents overcooking with the automatic temperature regulation of the integrated sensor.

Design

- Stainless steel side trims with bevelled front.


Safety

- Digital 2 stage residual heat indicator: indicates which cooking zones are still hot or warm.
- Childproof lock: prevent unintended activation of the cooktop.
- WipeProtection: wipe overboiled liquids without unintentionally changing settings (blocking all touch buttons for 30 seconds).
- Main switch: switch off all cooking zones at the touch of a button.
- Automatic Safety switch-off: for safety reasons, heating stops after a preset time without interaction (customizable).
- Energy consumption: shows the electricity consumption of the last cooking process.

Installation


- Dimensions of the product (HxWxD mm): 51 x 816 x 527
- Connected load: 7.4 KW

Series 8, induction cooktop, 80 cm, Black, PXY875DE1E





①
Ventilation gap must
be present

All measurements in mm




Measurements in mm



①
Ventilation gap must
be present

All measurements in mm



Measurements
in mm